



Bibliography for Novalis Tx™ Radiosurgery June 2009

Bibliography of SRS/SBRT Clinical and Technical Journal Publications on Novalis Tx™ and Novalis® Systems and Supporting Technology

Brain Tumors – Benign

Benign Meningioma & Other Benign Tumors

[Girvigian MR, Chen JC, Rahimian J, Miller MJ, Tome M.](#) Comparison of early complications for patients with convexity and parasagittal meningiomas treated with either stereotactic radiosurgery or fractionated stereotactic radiotherapy. *Neurosurgery*. 2008 May;62(5 Suppl):A19-27. *Southern California Permanente Medical Group and Kaiser Foundation, Los Angeles, CA*

[Hamm KD, Gross MW, Fahrig A, Surber G, Henzel M, Kleinert G, Grabenbauer GG, Engenhart-Cabillic R.](#) Stereotactic radiotherapy for the treatment of nonacoustic schwannomas. *Neurosurgery*. 2008 May;62(5 Suppl):A29-36 *Helios Klinikum Erfurt, Erfurt, Germany*

[Kan P, Liu JK, Wendland MM, Shrieve D, Jensen RL.](#) Peritumoral edema after stereotactic radiosurgery for intracranial meningiomas and molecular factors that predict its development. *J Neurooncol*. 2007 May;83(1):33-8. *University of Utah, Salt Lake City*

[Ernst-Stecken A, Lambrecht U, Mueller R, Ganslandt O, Sauer R, Grabenbauer G.](#) Dose escalation in large anterior skull-base tumors by means of IMRT. First experience with the Novalis system. *Strahlenther Onkol*. 2006 Mar;182(3):183-9. *University Hospital of Erlangen-Nuremberg, Erlangen, DE*

[Shrieve DC, Hazard L, Boucher K, Jensen RL.](#) Dose fractionation in stereotactic radiotherapy for parasellar meningiomas: radiobiological considerations of efficacy and optic nerve tolerance. *J Neurosurg*. 2004 Nov;101 Suppl 3:390-5. *University of Utah, Salt Lake City*

[Baumert BG, Villà S, Studer G, Mirimanoff RO, Davis JB, Landau K, Ducrey N, Arruga J, Lambin P, Pica A.](#) Early improvements in vision after fractionated stereotactic radiotherapy for primary optic nerve sheath meningioma. *Radiother Oncol*. 2004 Aug;72(2):169-74. *University Hospital Zurich, SW.* [FullText+Links](#) | [PDF](#)

[Selch MT, Ahn E, Laskari A, Lee SP, Agazaryan N, Solberg TD, Cabatan-Awang C, Frighetto L, Desalles AA.](#) Stereotactic radiotherapy for treatment of cavernous sinus meningiomas. *Int J Radiat Oncol Biol Phys*. 2004 May 1;59(1):101-11. *UCLA, Los Angeles.* [Full Text + Links](#) | [PDF](#)

[Biswas T, Sandhu AP, Singh DP, Schell MC, Maciunas RJ, Bakos RS, Muhs AG, Okunieff P.](#) Low-dose radiosurgery for benign intracranial lesions. *Am J Clin Oncol*. 2003 Aug;26(4):325-31. *University of Rochester Medical Center, Rochester, NY*

[Torres RC, Frighetto L, De Salles AA, Goss B, Medin P, Solberg T, Ford JM, Selch M.](#) Radiosurgery and stereotactic radiotherapy for intracranial meningiomas. *Neurosurg Focus*. 2003 May 15;14(5):e5. *UCLA, Los Angeles, CA*

[Liu JK, Forman S, Moorthy CR, Benzil DL.](#) Update on treatment modalities for optic nerve sheath meningiomas. *Neurosurg Focus*. 2003 May 15;14(5):e7. *University of Utah, Salt Lake City, UT*

[Andrews DW, Faroozan R, Yang BP, Hudes RS, Werner-Wasik M, Kim SM, Sergott RC, Savino PJ, Shields J, Shields C, Downes MB, Simeone FA, Goldman HW, Curran WJ Jr.](#) Fractionated stereotactic radiotherapy for the treatment of optic nerve sheath meningiomas: preliminary observations of 33 optic nerves in 30 patients with historical comparison to observation with or without prior surgery. *Neurosurgery*. 2002 Oct;51(4):890-902; discussion 903-4. *Thomas Jefferson University, Philadelphia*



[Villavicencio AT, Black PM, Shrieve DC, Fallon MP, Alexander E, Loeffler JS.](#) Linac radiosurgery for skull base meningiomas. *Acta Neurochir (Wien)*. 2001 Nov;143(11):1141-52. *Brigham and Women's Hospital, Boston*

[Meijer OW, Vandertop WP, Lagerwaard FJ, Slotman BJ.](#) Linear accelerator-based stereotactic radiosurgery for bilateral vestibular schwannomas in patients with neurofibromatosis type 2. *Neurosurgery*. 2008 May;62(5 Suppl):A37-43, *VU University Medical Center, Amsterdam*

[Radu A, Pica A, Villemure JG, Maire R.](#) [Indications and results of stereotactic radiosurgery with LINAC for the treatment of acoustic neuromas: preliminary results] *Ann Otolaryngol Chir Cervicofac*. 2007 Jul;124(3):110-4. *CHU Vaudois, Lausanne*

[Selch MT, Pedroso A, Lee SP, Solberg TD, Agazaryan N, Cabatan-Awang C, DeSalles AA.](#) Stereotactic radiotherapy for the treatment of acoustic neuromas. *J Neurosurg*. 2004 Nov;101 Suppl 3:362-72. *UCLA, Los Angeles*

[Surber G, Hamm K, Kleinert G.](#) Significance of different conformity indices for evaluation of radiosurgery treatment plans for vestibular schwannomas. *J Neurosurg*. 2004 Nov;101 Suppl 3:334-40. *Helios Klinikum Erfurt, Germany*

[Meijer OW, Vandertop WP, Baayen JC, Slotman BJ.](#) Single-fraction vs. fractionated linac-based stereotactic radiosurgery for vestibular schwannoma: a single-institution study. *Int J Radiat Oncol Biol Phys*. 2003 Aug 1;56(5):1390-6. *VU University Medical Center, Amsterdam*, [Full Text + Links](#), [PDF](#)

[Andrews DW, Suarez O, Goldman HW, Downes MB, Bednarz G, Corn BW, Werner-Wasik M, Rosenstock J, Curran WJ Jr.](#) Stereotactic radiosurgery and fractionated stereotactic radiotherapy for the treatment of acoustic schwannomas: comparative observations of 125 patients treated at one institution. *Int J Radiat Oncol Biol Phys*. 2001 Aug 1;50(5):1265-78. *Thomas Jefferson University, Philadelphia*. [Full Text + Links](#) | [PDF](#)

[De Salles AA, Frighetto L, Grande CV, Solberg TD, Cabatan-Awang C, Selch MT, Wallace R, Ford J.](#) Radiosurgery and stereotactic radiation therapy of skull base meningiomas: proposal of a grading system. *Stereotact Funct Neurosurg*. 2001;76(3-4):218-29. *UCLA, Los Angeles*

Vestibular Schwannoma (Acoustic Neuroma)

Lagerwaard FJ, Meijer OW, van der Hoorn EA, Verbakel WF, Slotman BJ, Senan S. [Volumetric modulated arc radiotherapy for vestibular schwannomas](#). *Int J Radiat Oncol Biol Phys*. 2009 Jun 1;74(2):610-5. *VU University Medical Center, Amsterdam*

Andrews DW, Werner-Wasik M, Den RB, Paek SH, Downes-Phillips B, Willcox TO, Bednarz G, Maltenfort M, Evans JJ, Curran WJ Jr. [Toward dose optimization for fractionated stereotactic radiotherapy for acoustic neuromas: comparison of two dose cohorts](#). *Int J Radiat Oncol Biol Phys*. 2009 Jun 1;74(2):419-26. *Thomas Jefferson University, Philadelphia*

[Meijer OW, Vandertop WP, Lagerwaard FJ, Slotman BJ.](#) Linear accelerator-based stereotactic radiosurgery for bilateral vestibular schwannomas in patients with neurofibromatosis type 2. *Neurosurgery*. 2008 May;62(5 Suppl):A37-43, *VU University Medical Center, Amsterdam*

[Radu A, Pica A, Villemure JG, Maire R.](#) [Indications and results of stereotactic radiosurgery with LINAC for the treatment of acoustic neuromas: preliminary results] *Ann Otolaryngol Chir Cervicofac*. 2007 Jul;124(3):110-4. *CHU Vaudois, Lausanne*

[Selch MT, Pedroso A, Lee SP, Solberg TD, Agazaryan N, Cabatan-Awang C, DeSalles AA.](#) Stereotactic radiotherapy for the treatment of acoustic neuromas. *J Neurosurg*. 2004 Nov;101 Suppl 3:362-72. *UCLA, Los Angeles*



[Surber G, Hamm K, Kleinert G](#). Significance of different conformity indices for evaluation of radiosurgery treatment plans for vestibular schwannomas. *J Neurosurg*. 2004 Nov;101 Suppl 3:334-40. *Helios Klinikum Erfurt, Germany*

Pituitary Adenoma, Craniopharyngioma and Cushing's Disease

[Ramakrishna N](#). The role of fractionated radiotherapy and stereotactic radiosurgery for pituitary adenomas. *Nat Clin Pract Endocrinol Metab*. 2008 Mar;4(3):138-9. *Brigham and Women's Hospital, Boston*

[Selch MT, Gorgulho A, Lee SP, Mattozo C, Solberg TD, Agazaryan N, Desalles AA](#). Stereotactic radiotherapy for the treatment of pituitary adenomas. *Minim Invasive Neurosurg*. 2006 Jun;49(3):150-5. *UCLA, Los Angeles*

[Liu JK, Schmidt MH, MacDonald JD, Jensen RL, Couldwell WT](#). Hypophysial transposition (hypophysopexy) for radiosurgical treatment of pituitary tumors involving the cavernous sinus. Technical note. *Neurosurg Focus*. 2003 May 15;14(5):e11. *University of Utah, Salt Lake City*, [PDF](#)

[Selch MT, DeSalles AA, Wade M, Lee SP, Solberg TD, Wallace RE, Ford JM, Rubino G, Cabatan-Awang C, Withers HR](#). Initial clinical results of stereotactic radiotherapy for the treatment of craniopharyngiomas. *Technol Cancer Res Treat*. 2002 Feb;1(1):51-9. *UCLA, Los Angeles*

Brain Tumors – Malignant

Glioma / Glioblastoma / Malignant Meningioma

Biswas T, Okunieff P, Schell MC, Smudzin T, Pilcher WH, Bakos RS, Vates GE, Walter KA, Wensel A, Korones DN, Milano MT. [Stereotactic radiosurgery for glioblastoma: retrospective analysis](#). *Radiat Oncol*. 2009 Mar 17;4(1):11. *University of Rochester, Rochester, NY* [Epub ahead of print]

Schwer AL, Kavanagh BD, McCammon R, Gaspar LE, Kleinschmidt-De Masters BK, Stuhr K, Chen C. [Radiographic and Histopathologic Observations After Combined EGFR Inhibition and Hypofractionated Stereotactic Radiosurgery in Patients with Recurrent Malignant Gliomas](#). *Int J Radiat Oncol Biol Phys*. 2009 Apr 1;73(5):1352-7. *University of Colorado Denver, Aurora, CO*

[Krishnan AP, Asher IM, Davis D, Okunieff P, O'Dell WG](#). Evidence that MR diffusion tensor imaging (tractography) predicts the natural history of regional progression in patients irradiated conformally for primary brain tumors. *Int J Radiat Oncol Biol Phys*. 2008 Aug 1;71(5):1553-62. *University of Rochester, Rochester, NY*

[Mattozo CA, De Salles AA, Klement IA, Gorgulho A, McArthur D, Ford JM, Agazaryan N, Kelly DF, Selch MT](#). Stereotactic radiation treatment for recurrent nonbenign meningiomas. *J Neurosurg*. 2007 May;106(5):846-54. *UCLA, Los Angeles*

[Han SR, Yoon SW, Yee GT, Choi CY, Sohn MJ, Lee DJ, Whang CJ](#). Novalis radiosurgery of optic gliomas in children: preliminary report. *Pediatr Neurosurg*. 2007;43(4):251-7. *Inje University, Goyang, KR*

[Ernst-Stecken A, Ganslandt O, Lambrecht U, Sauer R, Grabenbauer G](#). Survival and quality of life after hypofractionated stereotactic radiotherapy for recurrent malignant glioma. *J Neurooncol*. 2007 Feb;81(3):287-94. *University of Erlangen, Erlangen, Germany*

Brain – Metastatic Disease

Hoefnagels FW, Lagerwaard FJ, Sanchez E, Haasbeek CJ, Knol DL, Slotman BJ, Peter Vandertop W. [Radiological progression of cerebral metastases after radiosurgery: assessment of perfusion MRI for differentiating between necrosis and recurrence](#). *J Neurol*. 2009 Mar 10. *VU University Medical Centre, Amsterdam, The Netherlands* [Epub ahead of print]



Breneman JC, Steinmetz R, Smith A, Lamba M, Warnick RE. [Frameless Image-Guided Intracranial Stereotactic Radiosurgery: Clinical Outcomes for Brain Metastases](#). *Int J Radiat Oncol Biol Phys*. 2009 . 2009 Jul 1;74(3):702-6 , *Cincinnati Neuroscience Institute, Cincinnati*

[Samlowski WE, Majer M, Boucher KM, Shrieve AF, Dechet C, Jensen RL, Shrieve DC](#). Multidisciplinary treatment of brain metastases derived from clear cell renal cancer incorporating stereotactic radiosurgery. *Cancer*. 2008 Nov 1;113(9):2539-48. *University of Utah, Salt Lake City*

[Samlowski WE, Jensen RL, Shrieve DC](#). Multimodality management of brain metastases in metastatic melanoma patients. *Expert Rev Anticancer Ther*. 2007 Dec;7(12):1699-705. *Univ. of Utah, Salt Lake City*

[Fahrig A, Ganslandt O, Lambrecht U, Grabenbauer G, Kleinert G, Sauer R, Hamm K](#). Hypofractionated Stereotactic Radiotherapy for Brain Metastases : Results from Three Different Dose Concepts. *Strahlenther Onkol*. 2007 Nov;183(11):625-630. *University of Erlangen, Germany*

[Teh BS, Bloch C, Paulino AC, Shen S, Hinckley L, Baskin D, Butler EB, Amato R](#). Pathologic complete response in renal cell carcinoma brain metastases treated with stereotactic radiosurgery. *Clin Genitourin Cancer*. 2007 Jun;5(5):334-7. *Baylor College of Medicine – The Methodist Hospital, Houston*

[Samlowski WE, Watson GA, Wang M, Rao G, Klimo P Jr, Boucher K, Shrieve DC, Jensen RL](#). Multimodality treatment of melanoma brain metastases incorporating stereotactic radiosurgery (SRS). *Cancer*. 2007 May 1;109(9):1855-62. *University of Utah, Salt Lake City*

[Ernst-Stecken A, Ganslandt O, Lambrecht U, Sauer R, Grabenbauer G](#). Phase II trial of hypofractionated stereotactic radiotherapy for brain metastases: results and toxicity. *Radiother Oncol*. 2006 Oct;81(1):18-24. *University of Erlangen-Nuremberg, Erlangen, DE*, [Full Text + Links](#) | [PDF](#)

[Doh LS, Amato RJ, Paulino AC, Teh BS](#). Radiation therapy in the management of brain metastases from renal cell carcinoma. *Oncology (Williston Park)*. 2006 May;20(6):603-13; discussion 613, 616, 619-20. *Baylor College of Medicine – The Methodist Hospital, Houston*

[Binder D, Temmesfeld-Wollbruck B, Wurm R, Woiciechowsky C, Schaper C, Schurmann D, Suttorp N, Beinert T](#). [Brain metastases of lung cancer] *Dtsch Med Wochenschr*. 2006 Jan 27;131(4):165-71. *Charité-Universitätsmedizin, Berlin, DE*

[Hazard LJ, Jensen RL, Shrieve DC](#). Role of stereotactic radiosurgery in the treatment of brain metastases. *Am J Clin Oncol*. 2005 Aug;28(4):403-10. *University of Utah, Salt Lake City*

[Okunieff P, Schell MC, Ruo R, Hale ER, O'Dell WG, Pilcher W](#). Long-term management of patients with multiple brain metastases after shaped beam radiosurgery. Case report and review of the literature. *J Neurosurg*. 2004 Nov;101 Suppl 3:406-12. *University of Rochester Medical Center, Rochester, NY*

[Chitapanarux I, Goss B, Vongtama R, Frighetto L, De Salles A, Selch M, Duick M, Solberg T, Wallace R, Cabatan-Awang C, Ford J](#). Prospective study of stereotactic radiosurgery without whole brain radiotherapy in patients with four or less brain metastases: incidence of intracranial progression and salvage radiotherapy. *J Neurooncol*. 2003 Jan;61(2):143-9. *UCLA, Los Angeles*

[Manning MA, Cardinale RM, Benedict SH, Kavanagh BD, Zwicker RD, Amir C, Broaddus WC](#). Hypofractionated stereotactic radiotherapy as an alternative to radiosurgery for the treatment of patients with brain metastases. *Int J Radiat Oncol Biol Phys*. 2000 Jun 1;47(3):603-8 *UCLA, Los Angeles*,



Brain – Pediatric

[Buis DR, Dirven CM, Lagerwaard FJ, Mandl ES, Lycklama Å Nijeholt GJ, Eshghi DS, van den Berg R, Baayen JC, Meijer OW, Slotman BJ, Vandertop WP.](#) Radiosurgery of brain arteriovenous malformations in children. *J Neurol.* 2008 Apr;255(4):551-60., *VU University Medical Center, Amsterdam*

[Han SR, Yoon SW, Yee GT, Choi CY, Sohn MJ, Lee DJ, Whang CJ.](#) Novalis radiosurgery of optic gliomas in children: preliminary report. *Pediatr Neurosurg.* 2007;43(4):251-7. *Inje University, Goyang, KR, [PDFAccess](#)*

[Loeffler JS, Rossitch E Jr, Siddon R, Moore MR, Rockoff MA, Alexander E 3rd.](#) Role of stereotactic radiosurgery with a linear accelerator in treatment of intracranial arteriovenous malformations and tumors in children. *Pediatrics.* 1990 May;85(5):774-82. *Children's Hospital, Boston*

Brain – Functional Disease

Trigeminal Neuralgia and other Pain

[Chen JC, Greathouse HE, Girvigian MR, Miller MJ, Liu A, Rahimian J.](#) Prognostic factors for radiosurgery treatment of trigeminal neuralgia. *Neurosurgery.* 2008 May;62(5 Suppl):A53-61. *Southern California Permanente Medical Group and Kaiser Foundation, Los Angeles*

[Gorgulho AA, De Salles AA.](#) Impact of radiosurgery on the surgical treatment of trigeminal neuralgia. *Surg Neurol.* 2006 Oct;66(4):350-6. *UCLA, Los Angeles,*

[Gorgulho A, De Salles AA, McArthur D, Agazaryan N, Medin P, Solberg T, Mattozo C, Ford J, Lee S, Selch MT.](#) Brainstem and trigeminal nerve changes after radiosurgery for trigeminal pain. *Surg Neurol.* 2006 Aug;66(2):127-35; discussion 135., *UCLA, Los Angeles,*

[Chen JC, Girvigian M, Greathouse H, Miller M, Rahimian J.](#) Treatment of trigeminal neuralgia with linear accelerator radiosurgery: initial results. *J Neurosurg.* 2004 Nov;101 Suppl 3:346-50. *Southern California Permanente Medical Group, Los Angeles*

[Rahimian J, Chen JC, Rao AA, Girvigian MR, Miller MJ, Greathouse HE.](#) Geometrical accuracy of the Novalis stereotactic radiosurgery system for trigeminal neuralgia. *J Neurosurg.* 2004 Nov;101 Suppl 3:351-5. *Southern California Permanente Medical Group, Los Angeles*

[Frighetto L, De Salles AA, Smith ZA, Goss B, Selch M, Solberg T.](#) Noninvasive linear accelerator radiosurgery as the primary treatment for trigeminal neuralgia. *Neurology.* 2004 Feb 24;62(4):660-2. *UCLA, Los Angeles*

[Goss BW, Frighetto L, DeSalles AA, Smith Z, Solberg T, Selch M.](#) Linear accelerator radiosurgery using 90 gray for essential trigeminal neuralgia: results and dose volume histogram analysis. *Neurosurgery.* 2003 Oct;53(4):823-8; discussion 828-30. *UCLA, Los Angeles*

[De Salles AA, Frighetto L, Lacan G, Melega W.](#) Radiosurgery can achieve precision needed for functional neurosurgery. *Arch Neurol.* 2003 Oct;60(10):1494-6. *UCLA, Los Angeles*

[Smith ZA, De Salles AA, Frighetto L, Goss B, Lee SP, Selch M, Wallace RE, Cabatan-Awang C, Solberg T.](#) Dedicated linear accelerator radiosurgery for the treatment of trigeminal neuralgia. *J Neurosurg.* 2003 Sep;99(3):511-6. *UCLA, Los Angeles*

Arteriovenous Malformations and Cavernomas

[Hamm KD, Klisch J, Surber G, Kleinert G, Eger C, Aschenbach R.](#) Special aspects of diagnostic imaging for radiosurgery of arteriovenous malformations. *Neurosurgery.* 2008 May;62(5 Suppl):A44-52 *Helios Klinikum Erfurt, Erfurt, Germany*



[Veznedaroglu E, Andrews DW, Benitez RP, Downes MB, Werner-Wasik M, Rosenstock J, Curran WJ Jr, Rosenwasser RH.](#) Fractionated stereotactic radiotherapy for the treatment of large arteriovenous malformations with or without previous partial embolization. *Neurosurgery*. 2008 Feb;62 Suppl 2:519-30; discussion 530-1. *Thomas Jefferson Hospital, Philadelphia*

[Moreno-Jimenez S, Celis MA, Larraga-Gutierrez JM, Suarez-Campos Jde J, Garcia-Garduño A, Hernandez-Bojorquez M, Gutiérrez-Aceves GA.](#) Intracranial arteriovenous malformations treated with LINAC-based conformal radiosurgery: validation of the radiosurgery-based arteriovenous malformation score as a predictor of outcome. *Neurol Res*. 2007 Oct;29(7):712-6. *Instituto Nacional de Neurología y Neurocirugía, Tlalpan, México*

[Hsu PW, Chang CN, Tseng CK, Wei KC, Wang CC, Chuang CC, Huang YC.](#) Treatment of epileptogenic cavernomas: surgery versus radiosurgery. *Cerebrovasc Dis*. 2007;24(1):116-20, *Chang Gung Memorial Hospital, Tao Yuan, Taiwan, ROC*

[Jahan R, Solberg TD, Lee D, Medin P, Tateshima S, De Salles A, Sayre J, Vinters HV, Vinuela F.](#) An arteriovenous malformation model for stereotactic radiosurgery research. *Neurosurgery*. 2007 Jul;61(1):152-9; discussion 159. *UCLA, Los Angeles*

[Moreno-Jimenez S, Celis MA, Larraga-Gutierrez JM, de Jesus Suarez-Campos J, Garcia-Garduno A, Hernandez-Bojorquez M.](#) Intracranial arteriovenous malformations treated with linear accelerator-based conformal radiosurgery: clinical outcome and prediction of obliteration. *Surg Neurol*. 2007 May;67(5):487-91; discussion 491-2. *National Institute of Neurology and Neurosurgery, Mexico City, MX* [Full Text + Links](#), [PDF](#)

[Cover KS, Lagerwaard FJ, van den Berg R, Buis DR, Slotman BJ.](#) Color intensity projection of digitally subtracted angiography for the visualization of brain arteriovenous malformations. *Neurosurgery*. 2007 Mar;60(3):511-4; discussion 514-5. *VU University Medical Center, Amsterdam*

[Buis DR, Lagerwaard FJ, Dirven CM, Barkhof F, Knol DL, van den Berg R, Slotman BJ, Vandertop WP.](#) Delineation of brain AVMs on MR-Angiography for the purpose of stereotactic radiosurgery. *Int J Radiat Oncol Biol Phys*. 2007 Jan 1;67(1):308-16. *VU University Medical Center, Amsterdam*

[Huang YC, Tseng CK, Chang CN, Wei KC, Liao CC, Hsu PW.](#) LINAC radiosurgery for intracranial cavernous malformation: 10-year experience. *Clin Neurol Neurosurg*. 2006 Dec;108(8):750-6 *Chang Gung Memorial Hospital, Tao Yuan, Taiwan, ROC,*

[Moreno-Jiménez S, Celis-López MA, Lárraga-Gutiérrez JM, Herrera-Gómez L, Suárez-Campos JJ, García-Garduño A, Hernández-Bojórquez M.](#) [Intracranial arteriovenous malformations and radiosurgery with LINAC: review article] *Neurocirugía (Astur)*. 2006 Aug;17(4):317-23, *Instituto Nacional de Neurología y Neurocirugía MVS, México*

[Buis DR, Lagerwaard FJ, Barkhof F, Dirven CM, Lycklama GJ, Meijer OW, van den Berg R, Langendijk HA, Slotman BJ, Vandertop WP.](#) Stereotactic radiosurgery for brain AVMs: role of interobserver variation in target definition on digital subtraction angiography. *Int J Radiat Oncol Biol Phys*. 2005 May 1;62(1):246-52. *VU University Medical Center, Amsterdam,* [Full Text + Links](#) | [PDF](#)

[Pedroso AG, De Salles AA, Tajik K, Golish R, Smith Z, Frighetto L, Solberg T, Cabatan-Awang C, Selch MT.](#) Novalis Shaped Beam Radiosurgery of arteriovenous malformations. *J Neurosurg*. 2004 Nov;101 Suppl 3:425-34. *UCLA, Los Angeles*

[Mobin F, De Salles AA, Abdelaziz O, Cabatan-Awang C, Solberg T, Selch.](#) Stereotactic radiosurgery of cerebral arteriovenous malformations: appearance of perinidal T(2) hyperintensity signal as a predictor of favorable treatment response. *Stereotact Funct Neurosurg*. 1999;73(1-4):50-9. *UCLA, Los Angeles, CA*



Seizure Treatment: Thalamotomy & Corpus Callosotomy

[Celis MA, Moreno-Jimenez S, Larraga-Gutierrez JM, Alonso-Vanegas MA, Garcia-Garduno OA, Martinez-Juarez IE, Fernandez-Gonzalez MC.](#) Corpus callosotomy using conformal stereotactic radiosurgery. *Childs Nerv Syst.* 2007 Aug;23(8):917-20. *Instituto Nacional de Neurologia y Neurocirugia, Tlalpan, México*

[Selch MT, Gorgulho A, Mattozo C, Solberg TD, Cabatan-Awang C, DeSalles AA.](#) Linear accelerator stereotactic radiosurgery for the treatment of gelastic seizures due to hypothalamic hamartoma. *Minim Invasive Neurosurg.* 2005 Oct;48(5):310-4. *UCLA, Los Angeles*

[Frighetto L, De Salles A, Wallace R, Ford J, Selch M, Cabatan-Awang C, Solberg T.](#) Linear accelerator thalamotomy. *Surg Neurol.* 2004 Aug;62(2):106-13; discussion 113-4. *UCLA, Los Angeles*

General

Lamba M, Breneman JC, Warnick RE. [Evaluation of Image-Guided Positioning for Frameless Intracranial Radiosurgery.](#) *Int J Radiat Oncol Biol Phys.* 2009 Jul 1;74(3):913-9. *University of Cincinnati Neuroscience Institute, Cincinnati, OH*

Bednarz G, Machtay M, Werner-Wasik M, Downes B, Bogner J, Hyslop T, Galvin J, Evans J, Curran W Jr, Andrews D. [Report on a randomized trial comparing two forms of immobilization of the head for fractionated stereotactic radiotherapy.](#) *Med Phys.* 2009 Jan;36(1):12-7. *Jefferson Medical College, Philadelphia, Pennsylvania*

Wu QJ, Wang Z, Kirkpatrick JP, Chang Z, Meyer JJ, Lu M, Huntzinger C, Yin FF. [Impact of collimator leaf width and treatment technique on stereotactic radiosurgery and radiotherapy plans for intra- and extracranial lesions.](#) *Radiat Oncol.* 2009 Jan 21;4(1):3. *Duke University, Durham, NC*

[Kavanagh B.](#) Clinical experience shows that catastrophic late effects associated with ablative fractionation can be avoided by technological innovation. *Semin Radiat Oncol.* 2008 Oct;18(4):223-8. *University of Colorado, Denver*

[Kirkpatrick JP, Meyer JJ, Marks LB.](#) The linear-quadratic model is inappropriate to model high dose per fraction effects in radiosurgery. *Semin Radiat Oncol.* 2008 Oct;18(4):240-3. *Duke University Medical Center, Raleigh*

[Jensen RL, Wendland MM, Chern SS, Shrieve DC.](#) Novalis intensity-modulated radiosurgery: methods for pretreatment planning. *Neurosurgery.* 2008 May;62(5 Suppl):A2-10. *University of Utah Health Sciences Center, Salt Lake City*

[Wurm RE, Erbel S, Schwenkert I, Gum F, Agaoglu D, Schild R, Schlenger L, Scheffler D, Brock M, Budach V.](#) Novalis frameless image-guided noninvasive radiosurgery: initial experience. *Neurosurgery.* 2008 May;62(5 Suppl):A11-8; *Charité-Universitätsmedizin Berlin*

[De Salles AA, Gorgulho AA, Selch M, De Marco J, Agazaryan N.](#) Radiosurgery from the brain to the spine: 20 years experience. *Acta Neurochir Suppl.* 2008;101:163-8. *UCLA, Los Angeles*

[Yin FF, Wang Z, Yoo S, Wu QJ, Kirkpatrick J, Larrier N, Meyer J, Willett CG, Marks LB.](#) Integration of Cone-Beam CT in Stereotactic Body Radiation Therapy. *Duke University Medical Center, Durham NC Technol Cancer Res Treat.* 2008 Apr;7(2):133-40. *Duke University Medical Center, Durham*

[Chen JC, Rahimian J, Girvigian MR, Miller MJ.](#) Contemporary methods of radiosurgery treatment with the Novalis linear accelerator system. *Neurosurg Focus.* 2007;23(6):E4. *Southern California Permanente Medical Group, Los Angeles* [PDF](#)



[Andrews DW, Bednarz G, Evans JJ, Downes B.](#) A review of 3 current radiosurgery systems. *Surg Neurol.* 2006 Dec;66(6):559-64. *Thomas Jefferson University Hospital, Philadelphia,* [Full Text + Links](#), [PDF](#)

[Kavanagh BD, Timmerman RD.](#) Stereotactic radiosurgery and stereotactic body radiation therapy: an overview of technical considerations and clinical applications. *Hematol Oncol Clin North Am.* 2006 Feb;20(1):87. *Univ of Colorado, Denver*

[Whang CJ, Yee GT, Choi CY, Sohn MJ, Lee DJ.](#) First experience in using Novalis shaped beam radiosurgery in Korea. *J Neurosurg.* 2004 Nov;101 Suppl 3:341-5. *Inje University, Gyoung gi, KR*

[Solberg TD, Goetsch SJ, Selch MT, Melega W, Lacan G, DeSalles AA.](#) Functional stereotactic radiosurgery involving a dedicated linear accelerator and gamma unit: a comparison study. *J Neurosurg.* 2004 Nov;101 Suppl 3:373-80. *UCLA, Los Angeles*

[Shrieve DC, Klish M, Wendland MM, Watson GA.](#) Basic principles of radiobiology, radiotherapy, and radiosurgery. *Neurosurg Clin N Am.* 2004 Oct;15(4):467-79,. Review. *University of Utah, Salt Lake City*